

June 14, 2017

Dave Blye
Environmental Standards, Inc.
1140 Valley Forge Road
PO Box 810
Valley Forge, PA 19482

RE: Project: Hudson River Remedial Action M
Pace Project No.: 10390779

Dear Dave Blye:

Enclosed are the analytical results for sample(s) received by the laboratory on June 01, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carol Davy
carol.davy@pacelabs.com
1(612)607-6436
Project Manager

Enclosures

cc: Meg Michell, Environmental Standards, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Minnesota Certification IDs

1700 Elm Street SE, Suite 200, Minneapolis, MN 55414

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: UST-078

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas Certification #: 88-0680

California Certification #: MN00064

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: MN00064

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon NwTPH Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DW Certification #: 9952 C

West Virginia WW Certification #: 382

Wisconsin Certification #: 999407970

Wyoming via EPA Region 8 Certification #: 8TMS-L

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10390779001	OWS-LHAL-T170531110644	Water	05/26/17 10:27	06/01/17 09:45
10390779002	OWS-LHPO-T170531110915	Water	05/26/17 12:15	06/01/17 09:45
10390779003	OWS-WAFO-T170531111136	Water	05/31/17 09:42	06/01/17 09:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10390779001	OWS-LHAL-T170531110644	SM 2540D	NAS	1	PASI-M
10390779002	OWS-LHPO-T170531110915	SM 2540D	NAS	1	PASI-M
10390779003	OWS-WAFO-T170531111136	SM 2540D	NAS	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Method: SM 2540D

Description: 2540D TSS, Low Level

Client: GE_Anchor QEA, LLC

Date: June 14, 2017

General Information:

3 samples were analyzed for SM 2540D. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 477640

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 2602691)
- Total Suspended Solids

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Sample: OWS-LHAL-T170531110644 **Lab ID:** 10390779001 Collected: 05/26/17 10:27 Received: 06/01/17 09:45 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level									
Analytical Method: SM 2540D									
Total Suspended Solids	5.1	mg/L	1.0	0.51	1		06/02/17 15:48		D6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Sample: OWS-LHPO-
T170531110915 **Lab ID:** 10390779002 Collected: 05/26/17 12:15 Received: 06/01/17 09:45 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level									
Analytical Method: SM 2540D									
Total Suspended Solids	15.3	mg/L	1.0	0.50	1		06/02/17 15:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Sample: OWS-WAFO-
T170531111136 **Lab ID:** 10390779003 Collected: 05/31/17 09:42 Received: 06/01/17 09:45 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level									
Analytical Method: SM 2540D									
Total Suspended Solids	17.0	mg/L	1.0	0.50	1		06/02/17 15:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

QC Batch: 477640 Analysis Method: SM 2540D
QC Batch Method: SM 2540D Analysis Description: 2540D TSS, Low Level
Associated Lab Samples: 10390779001, 10390779002, 10390779003

METHOD BLANK: 2602689 Matrix: Water

Associated Lab Samples: 10390779001, 10390779002, 10390779003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	<1.0	1.0	0.50	06/02/17 15:48	

LABORATORY CONTROL SAMPLE: 2602690

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	100	89.5	90	80-120	

SAMPLE DUPLICATE: 2602691

Parameter	Units	10390779001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	5.1	6.3	21	10 D6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

D6 The precision between the sample and sample duplicate exceeded laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Hudson River Remedial Action M

Pace Project No.: 10390779

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10390779001	OWS-LHAL-T170531110644	SM 2540D	477640		
10390779002	OWS-LHPO-T170531110915	SM 2540D	477640		
10390779003	OWS-WAFO-T170531111136	SM 2540D	477640		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



305 West Grand Avenue, Mountville, NJ 07945 Ph: 201-455-3500

Client: General Electric Company

ENVIRONMENTAL SAMPLE CHAIN OF CUSTODY

COC ID: COC170531111504PACE

Sample Custodian: KMB

Lab: PACE

Project: Hudson River Remedial Action Monitoring Program - Resuspension Monitoring

COC Sample Number	Field Sample ID	QA/QC	Matrix *	Date Collected	Time Collected	Media*	# Containers	TEST REQUESTED	METHOD	MS	MSD	LD	Turn Around Time (hrs)	Preservative
001	OWS-LHAL-T170531110644	ENV	W	05/26/2017	10:27	W	4	Total Suspended Solids	SM 2540D	N	N	Y	480	4degC
								CS PCBs	NE294_02	N	N	N	480	4degC
002	OWS-LHPO-T170531110915	ENV	W	05/26/2017	12:15	W	3	Total Suspended Solids	SM 2540D	N	N	N	480	4degC
								CS PCBs	NE294_02	N	N	N	480	4degC
003	OWS-WAFO-T170531111136	ENV	W	05/31/2017	09:42	W	3	Total Suspended Solids	SM 2540D	N	N	N	480	4degC
								CS PCBs	NE294_02	N	N	N	480	4degC

001

002

003

Relinquished by:		Received by:		Relinquished by:		Received by:	
Signature	Signature	Signature	Signature	Signature	Signature	Signature	Signature
Print Name	Print Name	Print Name	Print Name	Print Name	Print Name	Print Name	Print Name
Company	Company	Company	Company	Company	Company	Company	Company
Date/Time	Date/Time	Date/Time	Date/Time	Date/Time	Date/Time	Date/Time	Date/Time
5/31/17 11:20	5/31/17 13:53	5/31/17 14:53	5/31/17	5/31/17 16:00	5/31/17 16:00	5/31/17 16:00	5/31/17 16:00

Comments: TSS only sent to PACE-MN 5/31/17


Date Printed: 5/31/2017


* S = SEDIMENT, W = WATER, PW = PORE WATER

** W = Total/Whole, D = Dissolved, R = Residue, S = Sediment

Page 1 of 1

T=0.9°C


	Document Name: Sample Condition Upon Receipt Form	Document Revised: 19Dec2016 Page 1 of 2
	Document No.: F-MN-L-213-rev.20	Issuing Authority: Pace Minnesota Quality Office

Sample Condition Upon Receipt Courier: <input checked="" type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input type="checkbox"/> Pace <input type="checkbox"/> Speedee <input type="checkbox"/> Other: _____ Tracking Number: <u>7359 2388 2711</u>	Client Name: <u>Anchor Qlea</u> Project #: <u>WO# : 10390779</u> 
--	---

Custody Seal on Cooler/Box Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Packing Material: <input type="checkbox"/> Bubble Wrap <input type="checkbox"/> Bubble Bags <input type="checkbox"/> None <input checked="" type="checkbox"/> Other: <u>PB</u> Thermometer Used: <input checked="" type="checkbox"/> 151401163 <input type="checkbox"/> 151401164 Type of Ice: <input checked="" type="checkbox"/> Wet <input type="checkbox"/> Blue <input type="checkbox"/> None <input type="checkbox"/> Samples on ice, cooling process has begun Cooler Temp Read (°C): <u>0.8</u> Cooler Temp Corrected (°C): <u>0.9</u> Temp should be above freezing to 6°C Correction Factor: <u>+0.1</u> Biological Tissue Frozen? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Date and Initials of Person Examining Contents: <u>RG 6/17/17</u> USDA Regulated Soil (<input checked="" type="checkbox"/> N/A, water sample) Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? <input type="checkbox"/> Yes <input type="checkbox"/> No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.	Optional: Proj. Due Date: _____ Proj. Name: _____
---	---

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH Positive for Res. Chlorine? Y N
All containers needing preservation are found to be in compliance with EPA recommendation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
(HNO ₃ , H ₂ SO ₄ , <2pH, NaOH >9 Sulfide, NaOH >12 Cyanide) Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin. <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION Person Contacted: _____ Date/Time: _____ Comments/Resolution: _____	Field Data Required? <input type="checkbox"/> Yes <input type="checkbox"/> No
--	---

Project Manager Review: <u></u> Date: <u>6/2/17</u> Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).
--



Analytical Data Package

Prepared by:

Pace Analytical Services

Pace Project No.: 10390779

Table Of Contents



InOrganic

Gravimetric

Analytical Results (Form 1-IN)	1
Blanks (Form 3-IN)	4
Duplicates (Form 6-IN)	5
Laboratory Control Spike (Form 7-IN)	6
Method Detection Limits (Form 9-IN)	7
Preparation Log (Form 12-IN)	8
Analysis Run Log (Form 13-IN)	9
Preparation Logs Raw Data	10

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

OWS-LHAL-T170531110644

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action
Lab Sample ID: 10390779001 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	5.1		mg/L	1	06/02/2017 15:48

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

OWS-LHPO-
T170531110915

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action
Lab Sample ID: 10390779002 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	15.3		mg/L	1	06/02/2017 15:48

FORM I INORGANIC-1
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

OWS-WAFO-
T170531111136

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action
Lab Sample ID: 10390779003 Percent Moisture: _____

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	17.0		mg/L	1	06/02/2017 15:48

FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract : Hudson River Remedial Action M

Method Blank Matrix: Water Instrument ID: 10WET4

Method Blank Concentration Units: mg/L

Analyte	Initial Calibration Blank		Continuing Calibration Blank						Method Blank	
		C		C		C		C		
									2602689	C
Total Suspended Solids									<1.0	U

SAMPLE NO.

FORM VI INORGANIC-1
DUPLICATES

2602691DUP

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial ActionMatrix: Water Concentration Units: mg/LPercent Moisture: Basis: Wet

Analyte	Control Limit	Sample	Duplicate	RPD
Total Suspended Solids	10	5.1	6.3	21*

* RPD outside QC Limits

FORM VII INORGANIC-1
LABORATORY CONTROL SAMPLE

SAMPLE NO.

2602690LCS

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action

Matrix: Water

Analyte	Units	True	Found	%R	Limits	
Total Suspended Solids	mg/L	100	89.5	90	80	120

FORM IX INORGANIC-1
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action M

Preparation Method: SM 2540D Instrument ID: 10WET4

Concentration Units: mg/L

Analyte	PQL	MDL	MDL Date
Total Suspended Solids	2.0	1.0	04/01/2015

FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action M

Preparation Method: SM 2540D Batch: WET 53818

Lab Sample ID	Sample Name	Preparation Date	Initial Volume (mL)	Final Volume (mL)
2602689	2602689	06/02/2017	1000	500
2602690	2602690	06/02/2017	1000	500
2602691	2602691	06/02/2017	990	500
10390779001	OWS-LHAL-	06/02/2017	990	500
10390779002	OWS-LHPO-	06/02/2017	1000	500
10390779003	OWS-WAFO-	06/02/2017	1000	500

FORM XIII INORGANIC-1
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10390779 Contract: Hudson River Remedial Action M

Instrument ID: 10WET4

Analysis Method: SM 2540D

Start Date: 06/02/2017 15:48

End Date: 06/02/2017 15:48

Sample Name	Lab Sample ID	D/F	Date	Time	tss w
2602689BLANK	2602689	1	06/02/2017	15:48	X
2602690LCS	2602690	1	06/02/2017	15:48	X
2602691DUP	2602691	1	06/02/2017	15:48	X
OWS-LHAL-T170531110644	10390779001	1	06/02/2017	15:48	X
OWS-LHPO-T170531110915	10390779002	1	06/02/2017	15:48	X
OWS-WAFO-	10390779003	1	06/02/2017	15:48	X

Batch Information: WET 53818 TSS LL

Template Version: F-MN-I-326-Rev.03 (24Jan2017)

Analysis Method	SM 2540D	Analized By	NAS	Instrument	10WET4	Acceptance Range:	103-105 C
Oven ID	10WET17	Thermometer ID	4310	Oven Temp Correction Factor	0	Oven Temp In1 Corr Date/Time Init	106.0 106.0 06/02/2017 15:48 NAS
Oven Temp Out1 Corr Date/Time Init	105.0 105.0 06/07/2017 15:11 MMB	Desic. In 1 ID Date/Time Init	6 06/07/2017 15:12 MMB	Desic. Out 1 Date/Time Init	06/12/2017 10:58 MMB	Oven Temp In2 Corr Date/Time Init	105.0 105.0 06/12/2017 11:07 MMB
Oven Temp Out2 Corr Date/Time Init	104.0 104.0 06/12/2017 14:46 MMB	Desic. In 2 ID Date/Time Init	6 06/12/2017 14:46 MMB	Desic. Out 2 Date/Time Init	06/12/2017 15:26 MMB	Reviewed By	KEO
Reviewed By Date	06/13/2017 16:17	Batch Notes					

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Select	ID	TSS Final (mg/L)	TSS Posted (mg/L)	Run Date/Time	Initial Volume (mL)	TSS Filters ()	Filter Wt 1 (g)	Filter Use 1	Oven Wt 1 (g)	Oven Use 1	Oven Wt 2 (g)
2540D WLL	BLANK	2602689	Y	G26JV	0.10000	0.20000	06/02/2017 15:48	1000	121196 ()	0.1113	M	0.1114	N	0.1114
2540D WLL	LCS	2602690	Y	G26JW	89.500	179.00	06/02/2017 15:48	1000	121196 ()	0.1205	M	0.2100	N	0.2100
2540D WLL	RQS	10390779001	Y	G26JX	5.0505	10.000	06/02/2017 15:48	990	121196 ()	0.1081	M	0.1131	N	0.1131
2540D WLL	DUP	2602691	Y	G26JY	6.2626	12.400	06/02/2017 15:48	990	121196 ()	0.1193	M	0.1256	N	0.1255
2540D WLL	PS	10390779002	Y	G26JZ	15.300	30.600	06/02/2017 15:48	1000	121196 ()	0.1185	M	0.1337	N	0.1338
2540D WLL	PS	10390779003	Y	G26K0	17.000	34.000	06/02/2017 15:48	1000	121196 ()	0.1188	M	0.1358	N	0.1358

QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven %Diff 1&2	Oven Wt Diff 1&2	Sample Notes	TS/TDS-SPK (mL)
2540D WLL	BLANK	2602689	Y	0.0000	0.0000		
2540D WLL	LCS	2602690	Y	0.0000	0.0000		121487 (1000)
2540D WLL	RQS	10390779001	Y	0.0000	0.0000	1*	
2540D WLL	DUP	2602691	Y	1.6000	0.0001	1*	
2540D WLL	PS	10390779002	Y	0.65574	0.0001		

10390779	QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven %Diff 1&2	Oven Wt Diff 1&2	Sample Notes	TS/TDS-SPK (mL)
2540D WLL	PS	10390779003	Y	0.0000	0.0000			

Sample Notes:

1*: Insufficient sample volume

Standard Notes:

121487: TS/TSS/TDS Handmade Standard, 10WET4